

rshowConfig SWITCH

SW1#show run

SW1#show running-config

Building configuration...

Current configuration : 4150 bytes

!

! Last configuration change at 04:40:36 UTC Thu Aug 14 2008 by admin

! NVRAM config last updated at 04:43:02 UTC Thu Aug 14 2008 by admin

!

version 15.2

no service pad

service timestamps debug datetime msec

service timestamps log datetime msec

no service password-encryption

!

hostname SW1

!

boot-start-marker

boot-end-marker

!

enable secret 5 \$1\$r2R2\$NZDaQ70BN6j1eldsZxKPU1

!

username admin secret 5 \$1\$8Sx1\$nF/n1LTa89SfPvYG9t8FX0

no aaa new-model

switch 1 provision ws-c2960x-24ts-l

!

!

!

!

!

!

ip domain-name bts

!

!

!

!

!

!

crypto pki trustpoint TP-self-signed-1989673856

enrollment selfsigned

subject-name cn=IOS-Self-Signed-Certificate-1989673856

revocation-check none

rsa-keypair TP-self-signed-1989673856

!

!

crypto pki certificate chain TP-self-signed-1989673856

certificate self-signed 01

3082022B 30820194 A0030201 02020101 300D0609 2A864886 F70D0101 05050030

31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274

69666963 6174652D 31393839 36373338 3536301E 170D3038 30383031 30353534

32395A17 0D323030 31303130 30303030 305A3031 312F302D 06035504 03132649

4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D31 39383936

37333835 3630819F 300D0609 2A864886 F70D0101 01050003 818D0030 81890281

81008253 B720D73D 36F04A4B CF2C4CBC 9A6B6BB2 5A3D87F0 022806BE

D47DFBE7

E986CEF6 21F4B75A 13A6FA3C BAB55944 E42AB48B CB49FD5A E1BC484A
582EEE16

E89A4450 CE840406 31D6B3F9 5E6FB968 328ED0A0 F1773C13 99D1FCEF
95AFC3CA

65065729 90CCFD73 09599F63 76B4CF36 14F463DD F7C9E85F 7B616F5B
DC4EB9FF

4ECD0203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF 301F0603

551D2304 18301680 147933C80133F2C7 30E9F94A 05644339 E70EB2FA 1B301D06

03551D0E 04160414 7933C801 33F2C730 E9F94A05 644339E7 0EB2FA1B 300D0609

2A864886 F70D0101 05050003 8181006E 4E26F7F5 3637B218 406ED055 76977187

68C469AE 90CB6C9E 49EADA70 86C649FB 4254F27A D2CDBAE3 25D9EF98
1C885331

6897CEFC D49F941B 0A031174 9D058E40 63C49CD8 AF76165C 5A7F57ED
181D4DE4

286427E8 E7EF1DF9 E1AC8192 80B8EB54 5AA0F820 B345D0C4 9DCEBCBB
6D679D34

B3B31BEA DB905C7D 8AFF23AA DECF73

quit

!

spanning-tree mode rapid-pvst

spanning-tree extend system-id

!

!

!

!

vlan internal allocation policy ascending

!

!

!

!

!

!

!

!

!

!

!

!

interface FastEthernet0

no ip address

!

interface GigabitEthernet1/0/1

switchport access vlan 10

switchport mode access

!

interface GigabitEthernet1/0/2

switchport access vlan 20

switchport mode access

!

interface GigabitEthernet1/0/3

switchport access vlan 30

switchport mode access

!

interface GigabitEthernet1/0/4

switchport access vlan 40

switchport mode access

!

interface GigabitEthernet1/0/5

switchport access vlan 50

switchport mode access

!

interface GigabitEthernet1/0/6

switchport access vlan 60

switchport mode access

!

interface GigabitEthernet1/0/7

switchport access vlan 70

switchport mode access

!

interface GigabitEthernet1/0/8

switchport access vlan 80

switchport mode access

!

interface GigabitEthernet1/0/9

switchport access vlan 90

switchport mode access

!

interface GigabitEthernet1/0/10

switchport access vlan 100

switchport mode access

!

interface GigabitEthernet1/0/11

switchport access vlan 100

switchport mode access

!

interface GigabitEthernet1/0/12

```
switchport access vlan 100
```

```
!
```

```
interface GigabitEthernet1/0/13
```

```
!
```

```
interface GigabitEthernet1/0/14
```

```
!
```

```
interface GigabitEthernet1/0/15
```

```
!
```

```
interface GigabitEthernet1/0/16
```

```
!
```

```
interface GigabitEthernet1/0/17
```

```
!
```

```
interface GigabitEthernet1/0/18
```

```
!
```

```
interface GigabitEthernet1/0/19
```

```
!
```

```
interface GigabitEthernet1/0/20
```

```
!
```

```
interface GigabitEthernet1/0/21
```

```
!
```

```
interface GigabitEthernet1/0/22
```

```
!
```

```
interface GigabitEthernet1/0/23
```

```
!
```

```
interface GigabitEthernet1/0/24
```

```
switchport trunk allowed vlan 1,2,10,20,30,40,50,60,70,80,90,100
```

```
switchport mode trunk
```

```
!
```

```
interface GigabitEthernet1/0/25
!
interface GigabitEthernet1/0/26
!
interface GigabitEthernet1/0/27
!
interface GigabitEthernet1/0/28
!
interface Vlan1
ip address 192.168.0.100 255.255.255.0
!
ip default-gateway 192.168.0.254
!
ip http server
ip http secure-server
!
!
!
line con 0
line vty 0 4
login local
transport input ssh
line vty 5 15
login
!
!
end
```